

## GUARANTEED ANALYSIS

Crude Protein	Min	25.00%
Lysine	Min	1.40%
Methionine	Min	0.30%
Crude Fat	Min	3.00%
Crude Fiber	Min	3.00%
Crude Fiber	Max	6.00%
Acid Detergent Fiber	Max	10.00%
Calcium	Min	0.70%
Calcium	Max	1.20%
Phosphorus	Min	0.60%

Salt	Min	0.50%
Salt	Max	1.00%
Sodium	Min	0.20%
Sodium	Max	0.40%
Copper	Min	15 ppm
Copper	Max	35 ppm
Selenium	Min	0.10 ppm
Zinc	Min	125 ppm
Vitamin A	Min	20,000 IU/lb

## INGREDIENTS

Soybean Meal, Corn, Hominy Feed, Feeding Oatmeal, Dried Whey, Dehydrated Alfalfa Meal, Linseed Meal, Brewer's Dried Yeast, Vegetable Oil, Fenugreek Seed, Anise Oil, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Sulfur, Iron Oxide, Ferrous Carbonate, Ferrous Sulfate, Copper Oxide, Copper Sulfate, Manganous Oxide, Zinc Oxide, Sodium Selenite, Cobalt Carbonate, Calcium Iodate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Choline Chloride, Thiamine Mononitrate, Niacin Supplement, Riboflavin Supplement, Calcium Pantothenate, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Folic Acid, Biotin, Propionic Acid

### Directions For Use:

Animal	Amount
Dairy Calves	Up to 1 lb per day
Lactating Cows	1–1½ lbs per day
Beef Calves	10% of creep ration
Show Cattle	1–2 lbs per day
Brood Cows	1 lb per day
Bulls	1 lb per day
Foals	½ lb per day
Growing Horses	1–1½ lbs per day

Performance Horses

1–2 lbs per day

Broodmares and Stallions

1½–2 lbs per day

Goats

¼–½ lb per day

Deer

¼–½ lb per day

Baby Pigs

⅛–¼ lb per day

Show Hogs

½–1 lb per day

Gestating Sows

⅛–¼ lb per day

Lactating Sows

½–¾ lb per day

Boars

¼–½ lb per day

Rabbits (Growing)

1 teaspoon per day

Rabbits (Lactating)

1 tablespoon per day

Poultry\*

1 tablespoon per day or 5–10% of ration

\*For young and small mature birds, Calf-Manna may need to be crumbled prior to feeding.

**NOTE:** These feeding instructions should be used as a general guideline. Maintain a regular feeding schedule. Provide fresh, clean water at all times.

**Reminder:** Feed is perishable. Store this product in a cool, dry area away from rodents and insects.

**Warning:** DO NOT feed any product that is spoiled, moldy, rodent or insect infested, or abnormal in appearance or odor, as it may cause illness or death. This product contains supplemental copper. DO NOT feed to sheep or other copper-sensitive species.