

REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : REGLONE ION
Design code : A1412H
Product Registration number : 31058
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.
Address : 140 Research Lane, Research Park
Guelph ON N1G 4Z3
Canada
Telephone : 1-87-SYNGENTA (1-877-964-3682)
Telefax : 1-519-823-0504
Emergency telephone number : 1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the Hazardous Products Regulations**

Corrosive to metals : Category 1
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Eye irritation : Category 2A
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure : Category 1 (Eyes)

GHS label elements

Hazard pictograms :



REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

- Signal word : Danger
- Hazard statements : H290 May be corrosive to metals.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H372 Causes damage to organs (Eyes) through prolonged or repeated exposure.
- Precautionary statements : **Prevention:**
P234 Keep only in original packaging.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear eye protection/ face protection.
- Response:**
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P390 Absorb spillage to prevent material damage.
- Storage:**
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:
18.1624 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
diquat dibromide	85-00-7	31.9335
Alkylamine ethoxylate	70955-14-5	>= 1 - < 5

REGLONE ION

Version 1.3	Revision Date: 05/10/2019	SDS Number: S00006835050	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|--|
| General advice | : | Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
| If inhaled | : | Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately. |
| In case of skin contact | : | Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required. |
| If swallowed | : | If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : | inflammation of the mouth, throat and oesophagus
Gastrointestinal discomfort
Diarrhoea |
| Notes to physician | : | Administer either activated charcoal (100g for adults or 2g/kg body weight in children) or Fuller's Earth (15% solution; 1 litre for adults or 15ml/kg body weight in children).
NOTE: The use of gastric lavage without administration of an adsorbent has not shown any clinical benefit.
Eye contact:- Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should continue until complete healing has occurred. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray |
| Unsuitable extinguishing media | : | Do not use a solid water stream as it may scatter and spread fire. |

REGLONE ION

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.3	05/10/2019	S00006835050	

- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless steel or fiberglass.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.
- Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
diquat dibromide	85-00-7	TWA (Total)	0.5 mg/m ³	CA AB OEL
		TWA (Respirable)	0.1 mg/m ³	CA AB OEL
		TWA	0.5 mg/m ³	CA ON OEL
		TWA (Respirable fraction)	0.1 mg/m ³	CA ON OEL
		TWA (Inhalable fraction)	0.5 mg/m ³ (the cation)	ACGIH
		TWA (Respirable fraction)	0.1 mg/m ³ (the cation)	ACGIH

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection

REGLONE ION

Version 1.3	Revision Date: 05/10/2019	SDS Number: S00006835050	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : red brown to dark brown
- Odour : No data available
- Odour Threshold : No data available
- pH : 6 - 6.5
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : > 103 °C
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available

REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.17 g/cm ³ (25 °C)
Solubility(ies)		
Solubility in other solvents	:	soluble Solvent: Water
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	> 650 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	See section "Possibility of hazardous reactions".
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Corrosive in contact with metals
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	Aluminium Mild steel Iron
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation

REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

Skin contact
Eye contact

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat, female): 1,049 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): 0.64 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: The toxicological data has been taken from products of similar composition.
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Components:

diquat dibromide:

- Acute oral toxicity : LD50 (Rat, female): 399.75 mg/kg
LD50 (Rat, male): 414.69 mg/kg
Remarks: Lethal dose for man is approximately 4-6g of diquat (equivalent to approximately 60mg/kg). May cause nausea, vomiting, abdominal pain and diarrhoea within a few hours of swallowing. Ulceration of lips, mouth, throat and intestine may follow within 24-48 hours. Kidney failure and liver damage may occur; in severe cases circulatory collapse; coma or death/cardiac arrest.
- Acute inhalation toxicity : LC50 (Rat, male): 0.226 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat, male and female): > 792 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Alkylamine ethoxylate:

- Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation

Product:

- Species : Rabbit
Result : Mild skin irritation

Components:

diquat dibromide:

- Species : Rabbit
Result : Irritating to skin.

REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

Remarks : Expert judgement
May also cause discoloration, cracking and loss of nails. Normal growth follows without delay.

Alkylamine ethoxylate:

Result : Skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : Eye irritation

Components:**diquat dibromide:**

Species : Rabbit
Result : Eye irritation
Remarks : Expert judgement
This material has a delayed eye irritation effect. May lead to ulceration of cornea and conjunctival epithelium giving rise to secondary infection. Although healing may be slow, the injury is superficial and with proper medical care recovery will be complete, even in severe cases.

Alkylamine ethoxylate:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation**Product:**

Test Type : Buehler Test
Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Components:**diquat dibromide:**

Species : Guinea pig
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity**Components:****diquat dibromide:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

REGLONE ION

Version 1.3 Revision Date: 05/10/2019 SDS Number: S00006835050 This version replaces all previous versions.

Carcinogenicity

Components:

diquat dibromide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

diquat dibromide:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Components:

diquat dibromide:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Components:

diquat dibromide:

Target Organs Assessment : Eyes
 : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.
 Remarks : Ocular effects (cataracts) have been reported following long term oral exposure of laboratory animals.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

diquat dibromide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): Calculated 10.46 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): Calculated 2.49 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Navicula pelliculosa (Freshwater diatom)): Calculated 0.001148 mg/l
 Exposure time: 96 h

REGLONE ION

Version 1.3	Revision Date: 05/10/2019	SDS Number: S00006835050	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

NOEC (Navicula pelliculosa (Freshwater diatom)): Calculated
0.0005945 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): Calculated
0.04726 mg/l
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): Calculated 0.0504 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

diquat dibromide:

Stability in water : Degradation half life: > 30 d
Remarks: Persistent in water.

Bioaccumulative potential

Components:

diquat dibromide:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Mobility in soil

Components:

diquat dibromide:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 11 - 41 y
Percentage dissipation: 50 % (DT50)
Remarks: Persistent in soil.

Other adverse effects

Components:

diquat dibromide:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

REGLONE ION

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.3	05/10/2019	S00006835050	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Refer to the product label for specific disposal/recycling information
- Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Refer to the product label for specific disposal/recycling information
- Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S. (DIQUAT DIBROMIDE)
Class : 8
Packing group : III
Labels : 8

IATA-DGR

- UN/ID No. : UN 1760
Proper shipping name : Corrosive liquid, n.o.s. (DIQUAT DIBROMIDE)
Class : 8
Packing group : III
Labels : Corrosive
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852

IMDG-Code

- UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S. (DIQUAT DIBROMIDE)
Class : 8
Packing group : III
Labels : 8

REGLONE ION

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.3	05/10/2019	S00006835050	

EmS Code : F-A, S-B
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**TDG**

UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(DIQUAT DIBROMIDE)
Class : 8
Packing group : III
Labels : 8
ERG Code : 154
Marine pollutant : yes(DIQUAT DIBROMIDE)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Warning

Skull and crossbones

poison

Eye irritant

Skin irritant

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

diquat (ion)

Canadian lists

No substances are subject to a Significant New Activity Notification.

REGLONE ION

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.3	05/10/2019	S00006835050	

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/10/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REGLONE ION

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.3	05/10/2019	S00006835050	

CA / EN