

Revision Date: 06/02/2017

Print Date: 01/30/2019

1/12

PROSARO XTR

Version 1.0 / CDN 102000028361

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PROSARO XTR

Product code (UVP) 81776849

SDS Number 102000028361

PCP Registration No. 32824

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Serious eye damage: Category 1 Skin sensitisation: Category 1B

Skin irritation, Reproductive toxicity: Category 2

Acute toxicity(Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations







Signal word: Danger

Hazard statements

Causes serious eye damage. May cause an allergic skin reaction.



PROSARO XTR

Version 1.0 / CDN 102000028361

Revision Date: 06/02/2017 Print Date: 01/30/2019

Causes skin irritation.

Suspected of damaging fertility or the unborn child.

Harmful if inhaled.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing mist and spray.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation or rash occurs: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

Take off contaminated clothing and wash before reuse.

IF exposed or concerned: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No.	Concentration % by weight	
178928-70-6	12.5	
107534-96-3	12.5	
135590-91-9	3.13	
14433-76-2	56.3	
	178928-70-6 107534-96-3 135590-91-9	

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.



PROSARO XTR

Version 1.0 / CDN Revision Date: 06/02/2017 102000028361 Print Date: 01/30/2019

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eve contact Hold eve open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Dry powder, Foam, Carbon dioxide (CO2)

Unsuitable None known.

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point 151 °C

Auto-ignition temperature330 °C / 626 °FLower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113



PROSARO XTR

Version 1.0 / CDN 102000028361

Revision Date: 06/02/2017 Print Date: 01/30/2019

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products,

fertilizers, food, and feed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3		OES BCS*
		(SK-ABS)		
Tebuconazole	107534-96-3	0.2 mg/m3		OES BCS*



PROSARO XTR

Version 1.0 / CDN Revision Date: 06/02/2017 102000028361 Print Date: 01/30/2019

		(SK-ABS)	
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)	OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance yellow to brown

Physical State Liquid clear to slightly turbid

Odor aromatic

Odour Threshold No data available

pH 3.5 - 5.5 at 1 % (23 °C) (deionized water)

Vapor PressureNo data availableVapor Density (Air = 1)No data availableDensity1.00 g/cm³ at 20 °CEvaporation rateNo data available

Evaporation rate

Boiling Point
Melting / Freezing Point
Water solubility
No data available

Decomposition No detemperature

No data available

Partition coefficient: n-

octanol/water

Not applicable



PROSARO XTR

 Version 1.0 / CDN
 Revision Date: 06/02/2017

 102000028361
 Print Date: 01/30/2019

Viscosity

No data available

Flash point 151 °C

Auto-ignition temperature330 °C / 626 °FLower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition No data available

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid No data available

Incompatible materials No data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Ingestion, Inhalation

Immediate Effects

Eye Corrosive - causes irreversible eye damage. Causes eye irritation.

Skin Irritating to skin. Harmful if absorbed through skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kgAcute inhalation toxicity LC50 (Rat) > 2.06 mg/l

Exposure time: 4 h

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin irritation Moderate skin irritation. (Rabbit)



PROSARO XTR

Version 1.0 / CDN 102000028361

Revision Date: 06/02/2017 Print Date: 01/30/2019

Eye irritation Severe eye irritation. (Rabbit)

Sensitisation Sensitising (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice. Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.



Revision Date: 06/02/2017

Print Date: 01/30/2019

PROSARO XTR

Version 1.0 / CDN 102000028361

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Daphnia magna (Water flea)) 2.79 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient tebuconazole.

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia (water flea)): 0.01 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l

Growth rate: Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Skeletonema costatum) 0.046 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

NOEC (Skeletonema costatum) 0.0073 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l

Growth rate: Exposure time: 72 h

The value mentioned relates to the active ingredient tebuconazole.

EC50 (Lemna gibba (gibbous duckweed)) 0.237 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient tebuconazole.

Biodegradability Prothioconazole:

Not rapidly biodegradable

Tebuconazole:

Not rapidly biodegradable

Mefenpyr-diethyl:



PROSARO XTR

Version 1.0 / CDN Revision Date: 06/02/2017 102000028361 Print Date: 01/30/2019

Not rapidly biodegradable

Koc Prothioconazole: Koc: 1765

Tebuconazole: Koc: 769 Mefenpyr-diethyl: Koc: 625

Bioaccumulation Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

Tebuconazole: Slightly mobile in soils Mefenpyr-diethyl: Slightly mobile in soils

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Contaminated packaging Do not re-use empty containers.

Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082



10/12

PROSARO XTR

 Version 1.0 / CDN
 Revision Date: 06/02/2017

 102000028361
 Print Date: 01/30/2019

Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 32824

US Federal Regulations

TSCA list None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.



Revision Date: 06/02/2017

Print Date: 01/30/2019

PROSARO XTR

Version 1.0 / CDN 102000028361

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

Tebuconazole 107534-96-3

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 3 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 3 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 06/02/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are



PROSARO XTR

Version 1.0 / CDN 102000028361

12/12Revision Date: 06/02/2017
Print Date: 01/30/2019

registered trademarks of Bayer.