




UFA
All Milk 20-20
Calf Milk Replacer
Product No. UFA2020
Registration #



This feed contains added selenium at 0.3 mg/kg

Guaranteed Analysis

Crude Protein (Min.)	20.0%	Sodium (Actual)	0.8%
Crude Protein from		Vitamin A (Min.)	30,000 IU/kg
Milk Source (Min.)	20.0%		
Crude Fat (Min.)	20.0%	Vitamin D (Min.)	5,000 IU/kg
Crude Fiber (Max.)	0.25%	Vitamin E (Min.)	100 IU/kg
Calcium (Actual)	0.85%		
Phosphorus (Actual)	0.7%		

Ingredients: A list of ingredients used to make this feed may be obtained from the manufacturer or registrant.

MIXING & FEEDING DIRECTIONS:

Mix milk replacer powder using a wire whisk at a rate of 150 grams of dry powder to 1000 ml (1 litre) of warm water 38°C (100°F). Dry powders should be weighed for accuracy.

1 standard measuring cup = 250 ml by volume (about 130 g powder)

From birth to 3 days. Feed 2 liters of high quality, first milking colostrum within the first 30 minutes after birth. Feed an additional 2 liters at 6 to 12 hours of age. Continue feeding colostrum, through the third day after birth.

These recommended rates apply to large breed animals (calves over 40 kg at birth).

Calf Age	Milk Solution Liters/Feeding	Number of Feeding/Day
Day 4 – 7	1.5	3
Day 8 – 13	2	3
Week 2 – 6	3 – 4	2
Week 7 – Weaning	3 – 4	1

These feeding directions are only a guideline and should be adjusted to the needs of the calf. For smaller breed animals, reduce the amount of recommended quantities of mixed solution.

Calves will vary in feed requirements depending on size and age. Observe calves closely during the milk replacer feeding period. Avoid underfeeding, which may result starvation and overconsumption (over feeding) which may increase incidence of scours.

General Recommendations

During extreme conditions (cold or wind), offer an extra feeding of milk replacer per day.

Mix only enough solution for one feeding.

Use clean feeding utensils.

Keep fresh, clean water before calves at all times.

Starting approximately 1 week of age, provide a good quality calf starter on a free choice basis.

House calves in warm, dry and draft-free quarters.

Consult your local feed representative for further calf feeding and management information.

To maintain freshness, keep unused portion of milk replacer in a closed bag or sealed container and store in a cool dry location.

Caution: Directions for use must be carefully followed.

LIABILITY DISCLAIMER:

Individual results from the use of this product may vary, due to management, environmental, genetic, health and sanitation differences. Therefore, UFA does not warrant or guarantee individual results."

Manufactured By:

Net Weight: 20Kg

CANADIAN
Nurs-ette™
DISTRIBUTORS LTD.

Box 1596 Camrose, AB T4V 1X6