Carrier

Emulsifiable Concentrate

For use with various herbicides

COMMERCIAL

READ THE LABEL BEFORE USING

WARNING: SKIN AND EYE IRRITANT

REGISTRATION NO. 30639 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Mineral Oil ... 50% Surfactant blend ... 40%

(1 Litre – Bulk Litres)

Nufarm Agriculture Inc. 5101, 333 - 96th Ave NE Calgary, Alberta T3K 0S3 1-800-868-5444

24 Hour Emergency Response Number 1-800-424-9300

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Do not breathe spray mist. Keep product away from fire, open flame, lighted electric bulbs and other sources of heat. Do not allow water to be introduced to contents of this container. Causes skin and eye irritation. Do not get on skin or in eyes. Wear chemically resistant gloves when handling.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention.

TOXICOLOGICAL INFORMATION:

If ingestion has occurred less than 2 hours earlier, carry out careful gastric lavage. Treat symptomatically.

EMERGENCY TELEPHONE NUMBERS:

For spills or transportation accidents, Chemtrec, 1-800-424-9300. For health or environmental emergencies, ProPharma Group, 1-877-325-1840. For product and use information, Nufarm Agriculture Inc., 1-800-868-5444.

STORAGE:

Store in original, tightly-closed container in a cool, dry, well-ventilated room. Do not allow water to be introduced to the contents of this container. Do not ship or store near food, feed, seed, fertilizers and all sources of heat.

DISPOSAL:

For Recyclable Containers:

Do not reuse this container for any purpose. This is a recyclable container and is to be disposed of at a container collection site.

Contact your local distributor/dealer or municipality for the location of the nearest collection site.

Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For Returnable Containers:

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

For Returnable-Refillable Containers:

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *PEST CONTROL PRODUCTS ACT* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE:

Carrier is an emulsifiable oil product that can be tank-mixed with:

- Achieve[®] 40SC Herbicide
- Achieve Liquid Herbicide
- CRESTIVO[™] Herbicide
- Baseline[™] Herbicide Tank-Mix
- Bison™ 400 L
- Challenger™ Herbicide
- Epic[®] Herbicide
- Liquid Achieve SC Herbicide
- Marengo[®] Herbicide
- Nufarm Tralkoxydim Liquid
- Signal[®] Herbicide
- Statue™ Herbicide
- Valtera[™] Herbicide

Refer to the herbicide label for additional instructions regarding use rates and mixing instructions.

MIXING INSTRUCTIONS:

- 1. Clean spray tank and half fill with clean water. Start agitation or bypass system. Agitation must be continued throughout the entire mixing and spraying procedure.
- 2. Add correct amount of one of the herbicides listed above and agitate for 2-3 minutes.
- 3. Add the broadleaf herbicide, insecticide or fungicide that is to be used as a tank-mix partner.
- 4. Agitate for 2-3 minutes.
- 5. Add correct amount of Carrier.
- 6. Agitate for 1-2 minutes before adding remainder of water and then maintain constant agitation.

KATE OF USE.		
Herbicide (used at labelled rate)	Rate of Carrier Added	Volume Carrier added to 1000 L spray solution
Achieve Liquid Herbicide	0.5% v/v	5 L
Achieve 40SC Herbicide		
CRESTIVO Herbicide		
Baseline Herbicide Tank-Mix		
Bison 400 L		
Challenger Herbicide		
Epic Herbicide		
Liquid Achieve SC Herbicide		
Marengo Herbicide		
Nufarm Tralkoxydim Liquid		
Statue Herbicide		
Valtera Herbicide		
Signal Herbicide	0.25-0.32% v/v [†]	2.5-3.2 L

RATE OF USE:

 † Use 0.25% v/v when Signal Herbicide is applied at 230 mL/ha and 0.32% v/v when Signal Herbicide is applied at 290 mL/ha.

 \mathbb{R} , \mathbb{M} Trademarks are the property of the respective owners.