



30% BEEF SUPPLEMENT PELLETS

FEED TAG CODE: 840521

Medicated with Monensin @ 450 mg/kg

CLAIM: As an aid in the prevention of Coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii* in cattle.

INGREDIENTS: A list of the ingredients used in this feed may be obtained from the manufacturer or registrant.

This feed contains added Selenium at 6.0 mg/kg.

GUARANTEED ANALYSIS: Crude Protein (min) 30.0%; Equivalent Crude Protein from Non-protein sources (max) 10.0%; Crude Fat (min) 2.0%; Crude Fibre (max) 8.0%; Flourine (max) 120 mg/kg; Sodium (act) 1.8%; Calcium (act) 8.0%; Phosphorus (act) 0.6%; Magnesium (act) 0.3%; Potassium (act) 0.8%; Sulfur (act) 0.4%; Iron (act) 133 mg/kg; Iodine (act) 30 mg/kg; Copper (act) 204 mg/kg; Manganese (act) 830 mg/kg; Zinc (act) 1,030 mg/kg; Cobalt (act) 6.0 mg/kg; Vitamin A (min) 100,000 I.U./kg; Vitamin D (min) 10,000 I.U./kg; Vitamin E (min) 150 I.U./kg.

MIXING & FEEDING INSTRUCTIONS: Mix this supplement with grain and forage at 4.6% of the diet dry matter to provide monensin at 22 mg/kg. For complete grain rations, mix 50 kg of this supplement with 950 kg barley and feed at 7.9 kg per head per day to cattle weighing 325 kg and eating 2.5% bodyweight as dry matter. Thoroughly mix this supplement into the total daily diet or into the complete feed (grain portion of the ration) before use. Do not feed undiluted.

WARNINGS: (1) Do not supplement monensin from other sources (e.g., other feedstuffs containing monensin or slow release devices containing monensin). (2) Keep out of reach of children.

CAUTIONS: (1) Directions for use must be carefully followed. (2) Do not use in association with another feed containing supplemental Selenium. (3) Do not exceed recommended levels as reduced average daily gains may result. (4) Do not allow dogs, horses or other equines, or guinea fowl access to formulations containing monensin. Ingestion of monensin by these species has been fatal. (5) Do not use monensin-medicated feeds for the treatment of outbreaks of coccidiosis. (6) May be used in feeds containing the pellet-binding agents Bentonite (2%), Attapulgate (2%), Kaolin (2.5%), Lignin Sulfonate (4%), Carboxymethylcellulose (0.1%) or Agri-Colloid.

Disclaimer: Individual results from the use of this product may vary as a result of differences in management, environment, genetics, health, sanitation, and other factors. Therefore, Trouw Nutrition Canada Inc. and its brand Shur-Gain, its affiliates or its distributors do not warrant or guarantee individual results and shall not be held liable for any gaps in the results

Manufactured by:
Trouw Nutrition
Westlock, Alberta

Net weight 20 kg when bagged

LOT#: **16011301**

