

Revision date : 2021/01/07 Version: 4.0

Page: 1/13 (30692729/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Liberty 150 SN Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA Contact address: BASF Canada Inc. 100 Milverton Drive Mississauga, ON L5R 4H1 CANADA Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

PCP # 28837 Synonyms:

Glufosinate Ammonium

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	4 (Inhalation - mist)	Acute toxicity
Acute Tox.	3 (dermal)	Acute toxicity
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Repr.	1B (fertility)	Reproductive toxicity

Safety Data Sheet Liberty 150 SN Herbicide Revision date : 2021/01/07 Version: 4.0

Revision date : 2021/01/07 Version: 4.0		Page: 2/13 (30692729/SDS_CPA_CA/EN)
Repr.	1B (unborn child)	Reproductive toxicity
STOT RE	2	Specific target organ toxicity — repeated exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Label elements		
Pictogram:		
Signal Word:		
Danger		
Hazard Statement:		
H318	Causes serious eye dama	age.
H311	Toxic in contact with skin.	demonstration where shild
H360 H302 + H332	Harmful if swallowed or if	damage the unborn child.
H373		jans (Nervous system) through prolonged or
H412	Harmful to aquatic life with	n long lasting effects.
H401	Toxic to aquatic life.	0
Precautionary Statemer P280		rotective clothing and eye protection or face
P271	Use only outdoors or in a	well-ventilated area.
P260	Do not breathe dust/gas/n	
P273	Avoid release to the environment	onment.
P201	Obtain special instructions	
P202	understood.	ety precautions have been read and
P270	Do not eat, drink or smoke	
P264	Wash contaminated body	parts thoroughly after handling.
Precautionary Statemer		
P310 P305 + P351 + P338	Immediately call a POISO	usly with water for several minutes. Remove
		and easy to do. Continue rinsing.
P304 + P340		son to fresh air and keep comfortable for
P302 + P352	IF ON SKIN: Wash with pl	
P308 + P313	IF exposed or concerned:	
P361 + P364	,	ontaminated clothing and wash it before
P330	reuse. Rinse mouth	
Precautionary Statemer		
P405	Store locked up.	
Precautionary Statemer	nts (Disposal):	
P501	Dispose of contents and c collection point.	container to hazardous or special waste

Revision date : 2021/01/07 Version: 4.0

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt CAS Number: 77182-82-2 Content (W/W): 13.5 % Synonym: Glufosinate Ammonium

Polyethyleneglycolmonoalkylethersulphate, sodium salt CAS Number: 68891-38-3 Content (W/W): 40.0 - 45.0% Synonym: No data available.

1-methoxypropan-2-ol CAS Number: 107-98-2 Content (W/W): 5.0 - 10.0% Synonym: 1-Methoxy-2-propanol; Propylene glycol monomethyl ether

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotony, unconsciousness, coma, convulsions, respiratory disorders, nausea, tachycardia, Symptoms may be delayed for several hours.

Revision date : 2021/01/07 Version: 4.0

Page: 4/13 (30692729/SDS CPA CA/EN)

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Medical monitoring for at least 24-48 hours.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, hydrogen cyanide, nitrogen oxides, sulfur oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed

Revision date : 2021/01/07 Version: 4.0 Page: 5/13 (30692729/SDS CPA CA/EN)

before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container. Keep container tightly closed in a cool, well-ventilated place. Keep away from heat. Store protected against freezing. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

1-methoxypropan-2-ol

ACGIH TLV TWA value 50 ppm ; STEL value 100 ppm ;

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Odour:	pungent, aromatic

Safety Data Sheet Liberty 150 SN Herbicide Revision date : 2021/01/07 Version: 4.0

sion date : 2021/01/07 ion: 4.0	(30	Page: 6/13 692729/SDS_CPA_CA/EN
Odour threshold:	Not determined since harmful by inhalation	
Colour:	blue to green	
pH value:	approx. 5.4 - 7.4	
	(10 %(m), 23 °C)	
	(undiluted)	
Melting point:	approx. 0 °C	
	Information applies to the solvent.	
Boiling point:	approx. 101 °C	
Flash point:	57 °C	
	UN L.2 Sustained combustibility The	
	product does not burn self-	
	sustainingly.	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
Lippor ovalogion limit	the intended use.	
Upper explosion limit:	As a result of our experience with this	
	product and our knowledge of its composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Autoignition:	455 °C	
Vapour pressure:	The statements are based on the	
vapour pressure.	properties of the individual	
	components.	
Information on: Butanoic ac	id, 2-amino-4-(hydroxymethylphosphinyl)-, m	onoammonium salt
Vapour pressure:	approx. < 0.031 mPa	(Directive
	(99.5 %(m), 25 °C)	84/449/EEC, A.4)
Density:	approx. 1.11 g/cm3	
Density:	approx. 1.11 g/cm3 (20 °C)	
	(20 °C)	
Vapour density:		
	(20 °C) not applicable The statements are based on the	
Vapour density: Partitioning coefficient n-	(20 °C) not applicable	
Vapour density: Partitioning coefficient n- octanol/water (log Pow):	(20 °C) not applicable The statements are based on the properties of the individual	onoammonium salt
Vapour density: Partitioning coefficient n- octanol/water (log Pow):	(20 °C) not applicable The statements are based on the properties of the individual components.	o <i>noammonium salt</i> (OECD Guideline
Vapour density: Partitioning coefficient n- octanol/water (log Pow): <i>Information on: Butanoic ac</i> Partitioning coefficient n- octanol/water (log Pow):	(20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C)	
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen	(20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01	(OECD Guideline
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n-	(20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C)	(OECD Guideline
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C) <i>reglycolmonoalkylethersulphate, sodium salt</i> 	(OECD Guideline
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n-	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C) <i>reglycolmonoalkylethersulphate, sodium salt</i> 	(OECD Guideline 107)
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n- octanol/water (log Pow):	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C) <i>eglycolmonoalkylethersulphate, sodium salt</i> 0.3 No decomposition if stored and handled as prescribed/indicated. 	(OECD Guideline 107)
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n- octanol/water (log Pow):	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C) <i>reglycolmonoalkylethersulphate, sodium salt</i> 0.3 No decomposition if stored and handled as prescribed/indicated. not determined 	(OECD Guideline 107)
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n- octanol/water (log Pow): 	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C) <i>eglycolmonoalkylethersulphate, sodium salt</i> 0.3 No decomposition if stored and handled as prescribed/indicated. 	(OECD Guideline 107)
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n- octanol/water (log Pow): Thermal decomposition: Viscosity, dynamic:	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>id, 2-amino-4-(hydroxymethylphosphinyl)-, m</i> -4.01 (22 °C) <i>reglycolmonoalkylethersulphate, sodium salt</i> 0.3 No decomposition if stored and handled as prescribed/indicated. not determined 	(OECD Guideline 107)
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n- octanol/water (log Pow): Thermal decomposition: Viscosity, dynamic: Solubility in water: Evaporation rate:	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>iid</i>, 2-amino-4-(hydroxymethylphosphinyl)-, m -4.01 (22 °C) <i>reglycolmonoalkylethersulphate, sodium salt</i> 0.3 No decomposition if stored and handled as prescribed/indicated. not determined (20 °C) 	(OECD Guideline 107)
Vapour density: Partitioning coefficient n- octanol/water (log Pow): Information on: Butanoic ac Partitioning coefficient n- octanol/water (log Pow): Information on: Polyethylen Partitioning coefficient n- octanol/water (log Pow): Thermal decomposition: Viscosity, dynamic: Solubility in water:	 (20 °C) not applicable The statements are based on the properties of the individual components. <i>iid</i>, 2-amino-4-(hydroxymethylphosphinyl)-, m -4.01 (22 °C) <i>reglycolmonoalkylethersulphate, sodium salt</i> 0.3 No decomposition if stored and handled as prescribed/indicated. not determined (20 °C) miscible 	(OECD Guideline 107)

Revision date : 2021/01/07 Version: 4.0

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Page: 7/13

(30692729/SDS CPA CA/EN)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials oxidizing agents, acids, bases

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: ammonia

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of pronounced toxicity after short-term skin contact. Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat (female) Value: 1,730 mg/kg

Inhalation Type of value: LC50 Species: rat (male) Value: 2.97 mg/l Exposure time: 4 h An aerosol was tested.

Type of value: LC50 Species: rat (female)

Revision date : 2021/01/07 Version: 4.0 Page: 8/13 (30692729/SDS CPA CA/EN)

Value: 3.91 mg/l Exposure time: 4 h An aerosol was tested.

Dermal Type of value: LD50 Species: rat (male/female) Value: 593 mg/kg

<u>Assessment other acute effects</u> Assessment of STOT single: Based on available Data, the classification criteria are not met.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion Assessment of irritating effects: May cause severe damage to the eyes. Not irritating to the skin.

<u>Skin</u> Species: rabbit Result: non-irritant

Eye Species: rabbit Result: Risk of serious damage to eyes.

<u>Sensitization</u> Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

modified Buehler test Species: guinea pig Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause neurological disturbances.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2021/01/07 Version: 4.0

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at doses that were toxic to the parental animals.

Other Information Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Harmful to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt LC50 (96 h) 461 mg/l, Pimephales promelas

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt LC50 (96 h) 7.1 mg/l, Brachydanio rerio (Flow through.)

Aquatic invertebrates

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt EC50 (48 h) > 100 mg/l, Daphnia magna

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt EC50 (48 h) 7.4 mg/l, Daphnia magna (static)

Aquatic plants

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt EC50 (96 h) 0.132 mg/l (growth rate), Anabaena cylindrica No observed effect concentration (96 h) 0.039 mg/l, Anabaena flos-aquae EC10 (72 h) 0.106 mg/l (growth rate), Anabaena flos-aquae EC50 (72 h) 46.4 mg/l (growth rate), Pseudokirchneriella subcapitata No observed effect concentration < 6.25 mg/l, Pseudokirchneriella subcapitata

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt EC50 (72 h) 27.7 mg/l (growth rate), Scenedesmus subspicatus

Revision date : 2021/01/07 Version: 4.0 Page: 10/13 (30692729/SDS CPA CA/EN)

No observed effect concentration (72 h) 0.93 mg/l (growth rate), Scenedesmus subspicatus

Chronic toxicity to fish

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt No observed effect concentration (35 d) 26.2 mg/l, Pimephales promelas

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt No observed effect concentration (28 d) 0.14 mg/l, Oncorhynchus mykiss (Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt No observed effect concentration (21 d) 18 mg/l, Daphnia magna (other, semistatic) EC50 (28 d) 7.5 mg/l, Mysidopsis bahia

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt No observed effect concentration (21 d) 0.27 mg/l, Daphnia magna (OECD Guideline 211, Flow through.)

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Not readily biodegradable (by OECD criteria).

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt

Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Bioconcentration factor: < 1, Lepomis macrochirus (OECD Guideline 305 E)

 $\label{eq:linear} Information \ on: \ Polyethylenegly colmonoal kylether sulphate, \ so dium \ salt$

Mobility in soil

Assessment transport between environmental compartments

Revision date : 2021/01/07 Version: 4.0 Page: 11/13 (30692729/SDS CPA CA/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Polyethyleneglycolmonoalkylethersulphate, sodium salt

Following exposure to soil, the product trickles away and can - dependent on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport TDG	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	6.1 III UN 2902 6.1 PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE AMMONIUM)
Sea transport IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	6.1 III UN 2902 6.1 NO PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE AMMONIUM)

Air transport IATA/ICAO

Revision date : 2021/01/07	Page: 12/13
Version: 4.0	(30692729/SDS_CPA_CA/EN)
Hazard class:	6.1
Packing group:	
ID number:	UN 2902
Hazard label:	6.1
Proper shipping name:	PESTICIDE, LIQUID, TOXIC, N.O.S. (contains GLUFOSINATE AMMONIUM)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA blocked / not listed

Crop Protection DSL, CA released / exempt

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHSconsistent safety data sheets. The following is the hazard information required on the pest control product label: WARNING: POISON. Skull and crossbones inside diamond Eve irritant. Skin Irritant KEEP OUT OF REACH OF CHILDREN. HARMFUL IN CONTACT WITH SKIN. HARMFUL IF SWALLOWED. May be fatal if absorbed through skin. Causes eye irritation. Avoid inhalation of mists/vapours. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2021/01/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

Revision date : 2021/01/07 Version: 4.0 Page: 13/13 (30692729/SDS CPA CA/EN)

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET