

INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name INFINITY® HERBICIDE

Product code (UVP) 79002149

SDS Number 102000011554

PCP Registration No. 28738

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Aspiration hazard: Category 1

Carcinogenicity: Category 2

Reproductive toxicity: Category 2

Eye irritation: Category 2B

Acute toxicity(Oral): Category 4

Flammable liquids: Category 4



2/13

INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

Revision Date: 03/28/2016 Print Date: 01/30/2019





Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

Causes eye irritation. Harmful if swallowed. Combustible liquid

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

Rinse mouth.

IF exposed or concerned: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Store locked up.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Concentration % by weight |
|--------------------------|-------------|---------------------------|
| Pyrasulfotole | 365400-11-9 | 3.3 |
| Bromoxynil octanoate | 1689-99-2 | 13.4 |
| Bromoxynil heptanoate | 56634-95-8 | 12.9 |
| Mefenpyr-diethyl | 135590-91-9 | 0.83 |
| Naphthalene | 91-20-3 | 5.09 |



INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Aspiration may cause pulmonary oedema and pneumonitis.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Alcohol-resistant foam, Dry powder, Carbon dioxide (CO2)

Unsuitable None known.

Special hazards arising from the substance or

Dangerous gases are evolved in the event of a fire.

mixture

Advice for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

equipment for firefighters apparatus and full protective clothing.



INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

Further information Evacuate personnel to safe areas. Avoid contact with spilled product or

contaminated surfaces. Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water

courses.

Flash point 90 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Avoid contact with spilled product or

contaminated surfaces. Use personal protective equipment. Evacuate

and isolate spill area.

Methods and materials for containment and cleaning up

Methods for cleaning upDike area to prevent runoff. Soak up with inert absorbent material

(e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing

environmental regulations.

Additional advice Do not allow to enter soil, waterways or waste water canal. Do not

allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation. Maintain exposure levels below the exposure limit through the use of general and local

exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

Revision Date: 03/28/2016 Print Date: 01/30/2019

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove and wash contaminated gloves, including the inside, before re-use. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container. Store in a place accessible by authorized persons only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|----------------------|-------------|---------------------------|---------|---------------|
| Pyrasulfotole | 365400-11-9 | 0.3 mg/m3 (TWA) | | OES BCS* |
| Bromoxynil octanoate | 1689-99-2 | 0.21 mg/m3 (SK-SEN) | | OES BCS* |
| Mefenpyr-diethyl | 135590-91-9 | 10 mg/m3 (TWA) | | OES BCS* |
| Naphthalene | 91-20-3 | 52 mg/m3/10 ppm (TWA) | 07 2009 | CAD AB OEL |
| Naphthalene | 91-20-3 | 79 mg/m3/15 ppm (STEL) | 07 2009 | CAD AB OEL |
| Naphthalene | 91-20-3 | 10 ppm (TWA) | 09 2011 | CAD BC OEL |
| Naphthalene | 91-20-3 | 15 ppm (STEL) | 09 2011 | CAD BC OEL |
| Naphthalene | 91-20-3 | 10 ppm (TWA) | 03 2011 | CAD MB OEL |
| Naphthalene | 91-20-3 | 15 ppm (STEV) | 11 2010 | CAD ON OEL |
| Naphthalene | 91-20-3 | 10 ppm (TWAEV) | 11 2010 | CAD ON OEL |
| Naphthalene | 91-20-3 | 10 ppm (8 HR ACL) | 05 2009 | CAD SK OEL |
| Naphthalene | 91-20-3 | 15 ppm | 05 2009 | CAD SK |



INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

| | | (15 MIN ACL) | | OEL |
|-------------|---------|---------------------------|---------|-----------|
| Naphthalene | 91-20-3 | 79 mg/m3/15 ppm (STEL) | 11 2011 | OEL (QUE) |
| Naphthalene | 91-20-3 | 52 mg/m3/10 ppm (TWA) | 11 2011 | OEL (QUE) |
| Naphthalene | 91-20-3 | 10 ppm (TLV) | | OES BCS* |

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Use only in area provided with appropriate exhaust ventilation.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance beige to brown
Physical State Liquid clear

Odor aromatic solvent-like
Odour Threshold No data available
pH ca. 3.9 at 10 %
Vapor Pressure No data available
Vapor Density (Air = 1) No data available
Density 1.14 g/cm³ at 20 °C
Evaporation rate No data available



INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

Boiling Point
Melting / Freezing Point
No data available
Not applicable
Decomposition
temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity 19.8 mPa.s at 25 °C

Flash point 90 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Not applicable

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Heat, flames and sparks.

Incompatible materials No data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Ingestion

Immediate Effects

EyeCauses eye irritation.SkinMay cause skin irritation.IngestionHarmful or fatal if swallowed.



INFINITY® HERBICIDE

Version 2.0 / CDN 102000011554

Revision Date: 03/28/2016 Print Date: 01/30/2019

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 300 - < 2,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 5 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

LC50 (male/female combined Rat) > 20 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (male/female combined Rat) > 4,000 mg/kg

Skin irritation Mild skin irritation. (Rabbit)

Eye irritation Moderate eye irritation. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)

Assessment repeated dose toxicity

Pyrasulfotole did not cause specific target organ toxicity in experimental animal studies. Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans. Bromoxynil heptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans. Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.

Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Bromoxynil heptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Bromoxynil heptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Naphthalene 91-20-3 Group A3

NTP

Naphthalene 91-20-3



INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

IARC

Naphthalene 91-20-3 Overall evaluation: 2B

OSHA

None.

Assessment toxicity to reproduction

Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats. Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats. Bromoxynil heptanoate did not cause reproductive toxicity in a two-generation study in rats. Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

Bromoxynil heptanoate caused developmental toxicity only at dose levels toxic to the dams. Bromoxynil heptanoate caused a delayed foetal growth, an increased incidence of non-specific malformations.

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.046 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient bromoxynil

heptanoate.



10/13

INFINITY® HERBICIDE

 Version 2.0 / CDN
 Revision Date: 03/28/2016

 102000011554
 Print Date: 01/30/2019

Toxicity to aquatic plants EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil

octanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l

The value mentioned relates to the active ingredient bromoxynil

octanoate.

Biodegradability Pyrasulfotole:

Not rapidly biodegradable Bromoxynil octanoate: Not rapidly biodegradable Bromoxynil heptanoate: Not rapidly biodegradable

Mefenpyr-diethyl:

Not rapidly biodegradable

Koc Pyrasulfotole: Koc: 20 - 213

Bromoxynil octanoate: Koc: 639 Bromoxynil heptanoate: Koc: ca. 600

Mefenpyr-diethyl: Koc: 625

Bioaccumulation Pyrasulfotole:

Does not bioaccumulate.

Bromoxynil octanoate: Bioconcentration factor (BCF) 230

Does not bioaccumulate. Bromoxynil heptanoate:

No data available, Does not bioaccumulate.

Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

Mobility in soil Pyrasulfotole: Moderately mobile in soils

Bromoxynil octanoate: Slightly mobile in soils Bromoxynil heptanoate: Slightly mobile in soils Mefenpyr-diethyl: Slightly mobile in soils

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply when weather conditions favor runoff or drift.

Drift or runoff from treated areas may adversely affect non-target plants.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Do not contaminate water, food, or feed by disposal.



11/13

INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

Never place unused product down any indoor or outdoor drain.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Puncture container to avoid re-use.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL, PETROLEUM DISTILLATES)

49CFR

NA-Number 1993 Packaging group III

Marine pollutant Marine pollutant

Proper shipping name COMBUSTIBLE LIQUID, N.O.S.

(BROMOXYNIL, PETROLEUM DISTILLATES, NAPHTHALENE)

RQ Reportable Quantity is reached with 1,964 lb of product.

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL, PETROLEUM DISTILLATES SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BROMOXYNIL, PETROLEUM DISTILLATES SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



12/13

INFINITY® HERBICIDE

Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 28738

US Federal Regulations

TSCA list None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Bromoxvnil octanoate 1689-99-2 Naphthalene 91-20-3

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

91-20-3 Naphthalene

This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Bromoxynil octanoate 1689-99-2 Developmental toxin.

US State Right-To-Know Ingredients

1689-99-2 Bromoxynil octanoate NJ. RI

Naphthalene CA, CT, IL, MN, NJ, RI 91-20-3

Canadian Regulations

Canadian Domestic Substance List

Naphthalene 91-20-3

Environmental

CERCLA

Naphthalene 91-20-3 100 lbs

Clean Water Section 307 Priority Pollutants

Naphthalene 91-20-3 Safe Drinking Water Act Maximum Contaminant Levels

Naphthalene 91-20-3



INFINITY® HERBICIDE

13/13 Version 2.0 / CDN Revision Date: 03/28/2016 102000011554 Print Date: 01/30/2019

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 **ACGIH** US. ACGIH Threshold Limit Values

Acute toxicity estimate ATE

Chemical Abstracts Service number CAS-Nr.

Comprehensive Environmental Response, Compensation, and Liability Act **CERCLA**

European inventory of existing commercial substances **EINECS**

European list of notified chemical substances **ELINCS IARC** International Agency for Research on Cancer International Air Transport Association IATA International Maritime Dangerous Goods **IMDG**

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN **United Nations**

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 2 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 2 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 03/28/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.