

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

1/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** RAXIL® PRO FUNGICIDE

**Product code (UVP)** 79527713

**SDS Number** 102000020819

**PCP Registration No.** 30102

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide, Seed treatment

**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer CropScience Inc  
#200, 160 Quarry Park Blvd, SE  
Calgary, Alberta T2C 3G3  
Canada

**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577

**Product Information Telephone Number** 1-888-283-6847

### SECTION 2: HAZARDS IDENTIFICATION

#### Classified in accordance with Part 2 of the Hazardous Products Regulations

Eye irritation: Category 2A

Acute toxicity(Inhalation): Category 4

Reproductive toxicity: Category 2

#### Labelling in accordance with Part 3 of the Hazardous Products Regulations



**Signal word:** Warning

#### Hazard statements

Causes serious eye irritation.

Harmful if inhaled.

Suspected of damaging fertility or the unborn child.

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

2/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

### Precautionary statements

Wash thoroughly after handling.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
Avoid breathing mist and spray.  
Use only outdoors or in a well-ventilated area.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER/doctor/physician if you feel unwell.  
IF exposed or concerned: Get medical advice/ attention.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Tebuconazole	107534-96-3	0.29
Prothioconazole	178928-70-6	1.47
Metalaxyl	57837-19-1	0.59
Ethoxylated tallow alkyl amines	61791-26-2	5.0

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

3/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

---

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

### Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

### Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

---

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

**Suitable** Water spray, Foam, Carbon dioxide (CO<sub>2</sub>), Dry chemical

**Unsuitable** High volume water jet

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

### Advice for firefighters

**Special protective equipment for firefighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

**Flash point** > 93.4 °C

**Auto-ignition temperature** No data available

**Lower explosion limit** No data available

**Upper explosion limit** No data available

**Explosivity** Not applicable

---

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

4/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m3		OES BCS*

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

5/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

		(SK-ABS)		
Prothioconazole	178928-70-6	1.4 mg/m <sup>3</sup> (SK-ABS)		OES BCS*
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m <sup>3</sup> (TWAEV)	11 2010	CAD ON OEL
1,2-Propanediol (Vapor and aerosol.)	57-55-6	155 mg/m <sup>3</sup> /50 ppm (TWAEV)	06 2015	CAD ON OEL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Chemical resistant nitrile rubber gloves

#### Eye protection

Safety glasses / Face shield

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	red
Physical State	Liquid
Odor	characteristic
Odour Threshold	No data available
pH	7.20 - 8.80 at 100 % (23 °C)
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	1.04 g/cm <sup>3</sup> at 20 °C
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

6/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

---

<b>Minimum Ignition Energy</b>	Not applicable
<b>Decomposition temperature</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Flash point</b>	> 93.4 °C
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Explosivity</b>	Not applicable

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	No data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	freezing
<b>Incompatible materials</b>	No data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Eye contact, Ingestion, Inhalation, Skin Absorption
<b>Immediate Effects</b>	
<b>Eye</b>	Causes substantial but temporary eye injury.
<b>Skin</b>	Harmful if absorbed through skin.
<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	Harmful if inhaled.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD50 (female Rat) > 2,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 2.6 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

7/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

	highest concentration tested
<b>Acute dermal toxicity</b>	LD50 (Rat) > 5,000 mg/kg
<b>Skin irritation</b>	No skin irritation (Rabbit)
<b>Eye irritation</b>	Moderate eye irritation. (Rabbit)
<b>Sensitisation</b>	Non-sensitizing. (Guinea pig)

### Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.  
Metalaxyl did not cause specific target organ toxicity in experimental animal studies.  
Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.  
Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.  
Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

### ACGIH

None.

### NTP

None.

### IARC

None.

### OSHA

None.

### Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.  
Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.  
Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

### Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

8/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

Metalaxyl did not cause developmental toxicity in rats and rabbits. Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

### Further information

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient prothioconazole.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 1.3 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient prothioconazole.
<b>Toxicity to aquatic plants</b>	IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
<b>Biodegradability</b>	Tebuconazole: Not rapidly biodegradable Metalaxyl: Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable
<b>Koc</b>	Tebuconazole: Koc: 769 Metalaxyl: Koc: 163 Prothioconazole: Koc: 1765; log Koc: < 3
<b>Bioaccumulation</b>	Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate. Metalaxyl: Bioconcentration factor (BCF) < 7 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate.
<b>Mobility in soil</b>	Tebuconazole: Slightly mobile in soils Metalaxyl: Moderately mobile in soils Prothioconazole: Slightly mobile in soils
<b>Environmental precautions</b>	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply when weather conditions favor runoff or drift. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.



# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

9/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

---

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal regulations.  
Follow container label instructions for disposal of wastes generated during use in compliance with the product label.  
Do not contaminate water, food, or feed by disposal.

**Contaminated packaging** Triple rinse containers.  
Puncture container to avoid re-use.  
Follow advice on product label and/or leaflet.

---

### SECTION 14: TRANSPORT INFORMATION

#### TDG

UN number	<b>3082</b>
Labels	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE)

**49CFR** Not dangerous goods / not hazardous material

#### IMDG

UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION)

#### IATA

UN number	<b>3082</b>
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
10200020819

10/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

---

Further Information                      Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

Freight Classification:                      INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

---

### SECTION 15: REGULATORY INFORMATION

**PCP Registration No.**                      30102

**US Federal Regulations**

**TSCA list**

None.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

None.

**Canadian Regulations**

**Canadian Domestic Substance List**

Ethoxylated tallow alkyl amines                      61791-26-2

**Environmental**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

Tebuconazole                      107534-96-3

---

# SAFETY DATA SHEET



## RAXIL® PRO FUNGICIDE

Version 3.0 / CDN  
102000020819

11/11  
Revision Date: 09/21/2016  
Print Date: 10/31/2016

### SECTION 16: OTHER INFORMATION

#### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

#### NFPA 704 (National Fire Protection Association):

Health - 2      Flammability - 1      Instability - 0      Others - none

#### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date:** 09/21/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.