

**TRAXOS HERBICIDE**

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : TRAXOS HERBICIDE  
Design code : A14298F

Product Registration number : 29855

Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada  
Telephone : 1-877-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504  
Emergency telephone number : 1-800-327-8633 (FAST MED)

**Recommended use of the chemical and restrictions on use**

Recommended use : Herbicide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Flammable liquids : Category 4  
Skin sensitisation : Category 1  
Carcinogenicity : Category 2  
Reproductive toxicity : Category 1B  
Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

## TRAXOS HERBICIDE

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 30 - < 60$ *
tetrahydro-2-furyl-methanol	97-99-4	$\geq 10 - < 30$ *
pinoxaden (ISO)	243973-20-8	2.5253
clodinafop-propargyl (ISO)	105512-06-9	2.5253
calcium dodecylbenzene sulphonate	26264-06-2	$\geq 1 - < 5$ *
2-methylpropan-1-ol	78-83-1	$\geq 1 - < 5$ *
cloquintocet-mexyl	99607-70-2	$\geq 0.1 - < 1$ *
naphthalene	91-20-3	$\geq 0.1 - < 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control

## TRAXOS HERBICIDE

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

- center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary oedema and pneumonitis.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Remove all sources of ignition.

## TRAXOS HERBICIDE

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

Pay attention to flashback.

- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	CA AB OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
pinoxaden (ISO)	243973-20-8	TLV-C	0.1 mg/m <sup>3</sup>	Syngenta
clodinafop-propargyl (ISO)	105512-06-9	TWA	1 mg/m <sup>3</sup>	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm 152 mg/m <sup>3</sup>	CA AB OEL
		TWA	50 ppm	CA BC OEL
		TWAEV	50 ppm 152 mg/m <sup>3</sup>	CA QC OEL
		TWA	50 ppm	ACGIH

## TRAXOS HERBICIDE

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

cloquintocet-mexyl	99607-70-2	TWA	5 mg/m <sup>3</sup>	Syngenta
naphthalene	91-20-3	TWA	10 ppm 52 mg/m <sup>3</sup>	CA AB OEL
		STEL	15 ppm 79 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 ppm	CA BC OEL
		TWAEV	10 ppm 52 mg/m <sup>3</sup>	CA QC OEL
		STEV	15 ppm 79 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 ppm	ACGIH

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection**

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : No special protective equipment required.  
**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.

**TRAXOS HERBICIDE**

Version 1.0	Revision Date: 01/25/2021	SDS Number: S00026714580	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Protective measures	: Wear as appropriate: Impervious clothing The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.
---------------------	--

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: 4.5 - 7.0 Concentration: 1 % w/v
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 78 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.99 g/cm3
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 310 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available

**TRAXOS HERBICIDE**

Version 1.0	Revision Date: 01/25/2021	SDS Number: S00026714580	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle size	: No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: None reasonably foreseeable.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: No decomposition if used as directed.
Incompatible materials	: None known.
Hazardous decomposition products	: No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.64 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,050 mg/kg

**Components:****pinoxaden (ISO):**

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): 4.63 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**TRAXOS HERBICIDE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	01/25/2021	S00026714580	

**clodinafop-propargyl (ISO):**

Acute oral toxicity	: LD50 (Rat, male and female): 1,829 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.325 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**2-methylpropan-1-ol:**

Acute oral toxicity	: LD50 (Rat): 2,830 - 3,350 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 - 2,460 mg/kg

**cloquintocet-mexyl:**

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 0.935 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: Highest attainable concentration
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**naphthalene:**

Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	---

**Skin corrosion/irritation****Product:**

Species	: Rabbit
Result	: No skin irritation

**Components:****pinoxaden (ISO):**

Method	: Based on Human Evidence
Result	: Irritating to skin.

**clodinafop-propargyl (ISO):**

Species	: Rabbit
---------	----------



**TRAXOS HERBICIDE**

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

Result : No skin irritation

**calcium dodecylbenzene sulphonate:**

Result : Irritating to skin.

**2-methylpropan-1-ol:**

Result : Irritating to skin.

**cloquintocet-mexyl:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****tetrahydro-2-furyl-methanol:**

Result : Eye irritation

**pinoxaden (ISO):**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**clodinafop-propargyl (ISO):**

Species : Rabbit  
Result : No eye irritation

**calcium dodecylbenzene sulphonate:**

Result : Risk of serious damage to eyes.

**2-methylpropan-1-ol:**

Result : Risk of serious damage to eyes.

**cloquintocet-mexyl:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Product:**

Species : Guinea pig  
Result : May cause sensitisation by skin contact.

**TRAXOS HERBICIDE**

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

**Components:****pinoxaden (ISO):**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : The product is a skin sensitiser, sub-category 1A.

Test Type : Respiratory sensitisation  
Result : Does not cause respiratory sensitisation.  
Remarks : Experience with human exposure

**clodinafop-propargyl (ISO):**

Species : Guinea pig  
Result : May cause sensitisation by skin contact.

**cloquintocet-mexyl:**

Species : Guinea pig  
Result : May cause sensitisation by skin contact.

**Germ cell mutagenicity****Components:****pinoxaden (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**clodinafop-propargyl (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**cloquintocet-mexyl:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity****Components:****pinoxaden (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**clodinafop-propargyl (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**cloquintocet-mexyl:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**naphthalene:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**TRAXOS HERBICIDE**Version  
1.0Revision Date:  
01/25/2021SDS Number:  
S00026714580

This version replaces all previous versions.

**Reproductive toxicity****Components:****tetrahydro-2-furyl-methanol:**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**pinoxaden (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

**clodinafop-propargyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

**cloquintocet-mexyl:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**STOT - single exposure****Components:****pinoxaden (ISO):**

Assessment : Based on Human Evidence, The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Remarks : Breathing difficulties  
Cough  
Acute irritation of the respiratory system leading to tightness of the chest and an asthmatic condition.

**2-methylpropan-1-ol:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**cloquintocet-mexyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure****Components:****pinoxaden (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**TRAXOS HERBICIDE**

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

**clodinafop-propargyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**cloquintocet-mexyl:**

Target Organs : Urinary system, Liver  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Aspiration toxicity****Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:****Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**pinoxaden (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 52 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 41 mg/l  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 1.72 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.94 mg/l  
End point: Growth rate  
Exposure time: 96 h

NOEC (Lemna gibba (gibbous duckweed)): 0.73 mg/l  
End point: Growth rate  
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 6.6 mg/l  
Exposure time: 28 d

## TRAXOS HERBICIDE

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

### clodinafop-propargyl (ISO):

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.21 mg/l  
Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0.31 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 2 mg/l  
Exposure time: 48 h
- LC50 (Americamysis): 0.819 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 3.2 mg/l  
Exposure time: 72 h
- NOEC (Desmodesmus subspicatus (green algae)): 0.24 mg/l  
End point: Growth rate  
Exposure time: 72 h
- ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.8 mg/l  
Exposure time: 72 h
- NOEC (Navicula pelliculosa (Freshwater diatom)): 0.92 mg/l  
End point: Growth rate  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.024 mg/l  
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.23 mg/l  
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### calcium dodecylbenzene sulphonate:

#### Ecotoxicology Assessment

- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 2-methylpropan-1-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l

**TRAXOS HERBICIDE**

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

**cloquintocet-mexyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.97 mg/l  
Exposure time: 96 h

LC50 (Gobiocypris rarus (rare gudgeon)): 0.102 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.82 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 2.2 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.12 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia (water flea)): > 0.437 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h

**naphthalene:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability****Components:****pinoxaden (ISO):**

Biodegradability : Result: rapidly degradable

Stability in water : Degradation half life: 0.3 d  
Remarks: Product is not persistent.

**clodinafop-propargyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: < 1 d (20 °C)  
Remarks: Product is not persistent.

**2-methylpropan-1-ol:**

**TRAXOS HERBICIDE**

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

Biodegradability : Result: Readily biodegradable.

**cloquintocet-mexyl:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 0.4 d  
Remarks: Product is not persistent.

**Bioaccumulative potential****Components:****pinoxaden (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.

**clodinafop-propargyl (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.9 (25 °C)

**cloquintocet-mexyl:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 5.24 (25 °C)

**Mobility in soil****Components:****pinoxaden (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 0.1 - 1.8 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**clodinafop-propargyl (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: < 0.5 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**cloquintocet-mexyl:**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 2.4 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**TRAXOS HERBICIDE**

Version 1.0	Revision Date: 01/25/2021	SDS Number: S00026714580	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

**Other adverse effects****Components:****pinoxaden (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**clodinafop-propargyl (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**2-methylpropan-1-ol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**cloquintocet-mexyl:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	: Refer to the product label for specific disposal/recycling information Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	: Refer to the product label for specific disposal/recycling information Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.



## TRAXOS HERBICIDE

Version 1.0      Revision Date: 01/25/2021      SDS Number: S00026714580      This version replaces all previous versions.

(SOLVENT NAPHTHA AND CLODINAFOP-PROPARGYL)  
 Class : 9  
 Packing group : III  
 Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (SOLVENT NAPHTHA AND CLODINAFOP-PROPARGYL)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (SOLVENT NAPHTHA AND CLODINAFOP-PROPARGYL)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

### TDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (SOLVENT NAPHTHA AND CLODINAFOP-PROPARGYL)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 ERG Code : 171  
 Marine pollutant : yes(SOLVENT NAPHTHA, CLODINAFOP-PROPARGYL)  
 Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle.  
 1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**TRAXOS HERBICIDE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	01/25/2021	S00026714580	

**SECTION 15. REGULATORY INFORMATION**

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Warning

Skin irritant

Potential skin sensitiser

**NPRI Components** : 2-methylpropan-1-ol  
naphthalene

**The components of this product are reported in the following inventories:**

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
pinoxaden (ISO)  
  
clodinafop-propargyl (ISO)  
  
cloquintocet-mexyl

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

**TRAXOS HERBICIDE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	01/25/2021	S00026714580	

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/25/2021  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN