

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : CRUISER VIBRANCE QUATTRO  
Design code : A20307A

Product Registration number : 31453

Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504  
Emergency telephone number : 1-800-327-8633 (FAST MED)

**Recommended use of the chemical and restrictions on use**

Recommended use : Seed treatment

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
propane-1,2-diol	57-55-6	$\geq 10 - < 30$ *
thiamethoxam (ISO)	153719-23-4	5.7505
propane-1,2,3-triol	56-81-5	$\geq 1 - < 5$ *
difenoconazole	119446-68-3	3.4505
sedaxane	874967-67-6	1.4374
metalaxyl-M (ISO)	70630-17-0	0.8598
fludioxonil (ISO)	131341-86-1	0.7187

\* Actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

If inhaled	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
thiamethoxam (ISO)	153719-23-4	TWA	3 mg/m <sup>3</sup>	Syngenta
propane-1,2,3-triol	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
difenoconazole	119446-68-3	TWA	5 mg/m <sup>3</sup>	Syngenta
sedaxane	874967-67-6	TWA	5 mg/m <sup>3</sup>	Syngenta
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m <sup>3</sup>	Syngenta
fludioxonil (ISO)	131341-86-1	TWA	5 mg/m <sup>3</sup>	Syngenta
		TWA (Inhalable particulate matter)	1 mg/m <sup>3</sup>	ACGIH

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

---

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.  
Eye protection : No special protective equipment required.  
Skin and body protection : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper : No data available

---

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

---

flammability limit	
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.07 g/cm <sup>3</sup> (25 °C)
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 450 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle size	: No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: None reasonably foreseeable.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: No decomposition if used as directed.
Incompatible materials	: None known.
Hazardous decomposition products	: No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

**Acute toxicity****Product:**

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.59 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Components:****thiamethoxam (ISO):**

- Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**difenoconazole:**

- Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m3  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**sedaxane:**

- Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.244 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

**metalaxyl-M (ISO):**

- Acute oral toxicity : LD50 (Rat, male): 953 mg/kg  
LD50 (Rat, female): 375 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**fludioxonil (ISO):**

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

- Species : Rabbit  
Result : No skin irritation

**Components:****thiamethoxam (ISO):**

- Species : Rabbit  
Result : No skin irritation

**difenoconazole:**

- Species : Rabbit  
Result : No skin irritation

**sedaxane:**

- Species : Rabbit  
Result : No skin irritation

**metalaxyl-M (ISO):**

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

---

Species : Rabbit  
Result : No skin irritation

**fludioxonil (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****thiamethoxam (ISO):**

Species : Rabbit  
Result : No eye irritation

**difenoconazole:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

**sedaxane:**

Species : Rabbit  
Result : No eye irritation

**metalaxyl-M (ISO):**

Species : Rabbit  
Result : Risk of serious damage to eyes.

**fludioxonil (ISO):**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Product:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Does not cause skin sensitisation.

**Components:****thiamethoxam (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.



## CRUISER VIBRANCE QUATTRO

Version  
2.0

Revision Date:  
01/22/2021

SDS Number:  
S00027550395

This version replaces all previous versions.

### difenoconazole:

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### sedaxane:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Not a skin sensitizer.

### metalaxyl-M (ISO):

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### fludioxonil (ISO):

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

## Germ cell mutagenicity

### Components:

#### thiamethoxam (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### difenoconazole:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### sedaxane:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### metalaxyl-M (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### fludioxonil (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

## Carcinogenicity

### Components:

#### thiamethoxam (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### difenoconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, In a two-year feeding study of mice, an oncogenic effect was seen in the livers of males and females., The ob-

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

served tumors do not appear to be relevant for men.

### **sedaxane:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

### **metalaxyl-M (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **fludioxonil (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

#### **Components:**

### **thiamethoxam (ISO):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **difenoconazole:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **sedaxane:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **metalaxyl-M (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **fludioxonil (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **STOT - single exposure**

#### **Components:**

### **thiamethoxam (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

### STOT - repeated exposure

#### Components:

##### **thiamethoxam (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **metalaxyl-M (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### Repeated dose toxicity

#### Components:

##### **difenoconazole:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

##### **sedaxane:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **thiamethoxam (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l  
Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 81.8 mg/l  
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 81.8 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 28 d  
Test Type: flow-through test

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

		NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l Exposure time: 88 d Test Type: Early-life Stage
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d  NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l Exposure time: 30 d
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
<b>difenoconazole:</b>		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.77 mg/l Exposure time: 48 h  EC50 (Americamysis): 0.15 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Navicula pelliculosa (Freshwater diatom)): 0.091 mg/l Exposure time: 72 h  NOEC (Navicula pelliculosa (Freshwater diatom)): 0.053 mg/l Exposure time: 72 h  ErC50 (Desmodesmus subspicatus (green algae)): 0.0876 mg/l Exposure time: 72 h  NOEC (Desmodesmus subspicatus (green algae)): 0.0086 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.0076 mg/l Exposure time: 34 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0056 mg/l Exposure time: 21 d  NOEC (Americamysis): 0.0023 mg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

### sedaxane:

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 0.62 mg/l  
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.98 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.10 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3 mg/l  
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l  
End point: Growth rate  
Exposure time: 96 h
- ErC50 (Lemna gibba (gibbous duckweed)): 6.5 mg/l  
Exposure time: 7 d
- NOEC (Lemna gibba (gibbous duckweed)): 0.59 mg/l  
End point: Growth rate  
Exposure time: 7 d
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.165 mg/l  
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.82 mg/l  
Exposure time: 21 d
- metalaxyl-M (ISO):**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h
- LC50 (Cyprinus carpio (Carp)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l  
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l  
End point: Growth rate  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l  
Exposure time: 28 d

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h
- fludioxonil (ISO):**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l  
Exposure time: 48 h
- EC50 (Americamysis): 0.27 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.44 mg/l  
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.132 mg/l  
End point: Growth rate  
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l  
Exposure time: 96 h
- NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l  
End point: Growth rate  
Exposure time: 96 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l  
Exposure time: 28 d
- NOEC (Pimephales promelas (fathead minnow)): 0.018 mg/l  
Exposure time: 116 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.035 mg/l  
Exposure time: 21 d
- NOEC (Americamysis): 0.018 mg/l  
Exposure time: 28 d
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h

**CRUISER VIBRANCE QUATTRO**

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

**Persistence and degradability****Components:****thiamethoxam (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 11 d  
Remarks: Product is not persistent.

**difenoconazole:**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 1 d  
Remarks: Product is not persistent.

**sedaxane:**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: > 1 y  
Remarks: Persistent in water.

**metalaxyl-M (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 22.4 - 47.5 d  
Remarks: Product is not persistent.

**fludioxonil (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 450 - 700 d  
Remarks: Persistent in water.

**Bioaccumulative potential****Components:****thiamethoxam (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.  
Partition coefficient: n-octanol/water : log Pow: -0.13 (25 °C)

**difenoconazole:**

Bioaccumulation : Remarks: High bioaccumulation potential.  
Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

**sedaxane:**

Bioaccumulation : Remarks: Does not bioaccumulate.

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

Partition coefficient: n-octanol/water : log Pow: 3.3 (25 °C)

### metalaxyl-M (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (25 °C)

### fludioxonil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (25 °C)

### Mobility in soil

#### Components:

#### thiamethoxam (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 51 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### difenoconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 149 - 187 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### sedaxane:

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

Stability in soil : Dissipation time: 83 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### metalaxyl-M (ISO):

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### fludioxonil (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 14 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.



## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

### Other adverse effects

#### Components:

##### **difenoconazole:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **sedaxane:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **metalaxyl-M (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **fludioxonil (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

(THIAMETHOXAM AND DIFENOCONAZOLE)  
 Class : 9  
 Packing group : III  
 Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (THIAMETHOXAM AND DIFENOCONAZOLE)

Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (THIAMETHOXAM AND DIFENOCONAZOLE)

Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

### TDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (THIAMETHOXAM AND DIFENOCONAZOLE)

Class : 9  
 Packing group : III  
 Labels : 9  
 ERG Code : 171  
 Marine pollutant : yes(THIAMETHOXAM, DIFENOCONAZOLE)  
 Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4,  
 Dangerous Goods Safety Marks, if transported solely on land  
 by road vehicle or railway vehicle.  
 1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Warning, contains the allergen soy

## CRUISER VIBRANCE QUATTRO

Version 2.0      Revision Date: 01/22/2021      SDS Number: S00027550395      This version replaces all previous versions.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

**NPRI Components** : 2,6-di-tert-butyl-p-cresol

**The components of this product are reported in the following inventories:**

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
sedaxane

thiamethoxam (ISO)

difenoconazole

metalaxyl-M (ISO)

fludioxonil (ISO)

Hypermer A 60

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)  
CA QC OEL / TWA EV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

**CRUISER VIBRANCE QUATTRO**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	01/22/2021	S00027550395	

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/22/2021  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN