

**MIRAVIS ACE FUNGICIDE**

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : MIRAVIS ACE FUNGICIDE  
Design code : A21573C  
Product Registration number : 33573  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada  
  
Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504  
Emergency telephone number : 1-800-327-8633 (FAST MED)


**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Eye irritation : Category 2A  
Reproductive toxicity : Category 2

**GHS label elements**

Hazard pictograms : 

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

P202 Do not handle until all safety precautions have been read and understood.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
pydiflumetofen	pydiflumetofen	1228284-64-7	13.6612
propiconazole (ISO)	propiconazole (ISO)	60207-90-1	11.3843
2-ethylhexan-1-ol	2-ethylhexan-1-ol	104-76-7	>= 5 - < 10 *
propane-1,2,3-triol	propane-1,2,3-triol	56-81-5	>= 1 - < 5 *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

If inhaled	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
pydiflumetofen	1228284-64-7	TWA	5 mg/m <sup>3</sup>	Syngenta
propiconazole (ISO)	60207-90-1	TWA	5 mg/m <sup>3</sup>	Syngenta
propane-1,2,3-triol	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

### Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
 Suitable respiratory equipment:  
 Respirator with a half face mask  
 The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection
- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Tightly fitting safety goggles  
 Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
 Remove and wash contaminated clothing before re-use.  
 Wear as appropriate:  
 Impervious clothing
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
 When selecting personal protective equipment, seek appropriate professional advice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : beige
- Odour : No data available
- Odour Threshold : No data available
- pH : 4 - 8  
 Concentration: 100 % w/v
- 6 - 10  
 Concentration: 1 % w/v

**MIRAVIS ACE FUNGICIDE**

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

---

Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.08 - 1.12 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	425 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.

**MIRAVIS ACE FUNGICIDE**

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.13 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Components:****pydiflumetofen:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**propiconazole (ISO):**

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.89 - 5.3 mg/l

**MIRAVIS ACE FUNGICIDE**

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****pydiflumetofen:**

Species : Rabbit  
Result : No skin irritation

**propiconazole (ISO):**

Species : Rabbit  
Result : No skin irritation

**2-ethylhexan-1-ol:**

Species : Rabbit  
Result : Irritating to skin.

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : Eye irritation

**Components:****pydiflumetofen:**

Species : Rabbit  
Result : No eye irritation

**propiconazole (ISO):**

Species : Rabbit  
Result : No eye irritation

**2-ethylhexan-1-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitisation****Product:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse



## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Result : Does not cause skin sensitisation.

### Components:

#### **pydiflumetofen:**

Test Type : mouse lymphoma cells  
 Species : Mouse  
 Result : Did not cause sensitisation on laboratory animals.

#### **propiconazole (ISO):**

Species : Guinea pig  
 Result : The product is a skin sensitiser, sub-category 1B.

### **Germ cell mutagenicity**

#### Components:

#### **pydiflumetofen:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **propiconazole (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### Components:

#### **pydiflumetofen:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **propiconazole (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **Reproductive toxicity**

#### Components:

#### **pydiflumetofen:**

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

#### **propiconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

### STOT - single exposure

#### Components:

#### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **2-ethylhexan-1-ol:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT - repeated exposure

#### Components:

#### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.07 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.788 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 42.3 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.2 mg/l  
End point: Growth rate  
Exposure time: 96 h

#### Components:

#### **pydiflumetofen:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.42 mg/l  
Exposure time: 48 h

LC50 (Americamysis): 0.16 mg/l  
Exposure time: 96 h

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 5.9 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.093 mg/l End point: Growth rate Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.025 mg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.042 mg/l Exposure time: 21 d
		NOEC (Americamysis): 0.076 mg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	1
<b>propiconazole (ISO):</b>		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0.51 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 8.9 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.13 mg/l End point: Growth rate Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.068 mg/l Exposure time: 95 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Americamysis): 0.11 mg/l Exposure time: 28 d
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 mg/l

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 16.6 mg/l  
Exposure time: 72 h

### Persistence and degradability

#### Components:

##### **pydiflumetofen:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: The substance is stable in water.

##### **propiconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **pydiflumetofen:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.8 (25 °C)

##### **propiconazole (ISO):**

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.72 (25 °C)

### Mobility in soil

#### Components:

##### **pydiflumetofen:**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 674 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Persistent in soil.

##### **propiconazole (ISO):**

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

Stability in soil : Dissipation time: 66 - 170 d

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### **pydiflumetofen:**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

##### **propiconazole (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **2-ethylhexan-1-ol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(PYDIFLUMETOFEN AND PROPICONAZOLE)  
Class : 9

## MIRAVIS ACE FUNGICIDE

Version 1.1      Revision Date: 05/19/2021      SDS Number: S00057741464      This version replaces all previous versions.

Packing group : III  
Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(PYDIFLUMETOFEN AND PROPICONAZOLE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(PYDIFLUMETOFEN AND PROPICONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(PYDIFLUMETOFEN AND PROPICONAZOLE)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(PYDIFLUMETOFEN, PROPICONAZOLE)  
Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4,  
Dangerous Goods Safety Marks, if transported solely on land  
by road vehicle or railway vehicle.  
1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Warning, contains the allergen 1,2-benzisothiazolin-3-one and 2-bromo-2-nitropropane-1,3-diol  
Contains the allergen sulfites

## MIRAVIS ACE FUNGICIDE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	05/19/2021	S00057741464	

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Caution

Eye irritant

### The components of this product are reported in the following inventories:

DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. pydiflumetofen  propiconazole (ISO)  2-propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2-propenoate, ester with alpha-methyl-omega-hydroxypoly(oxy-1,2-ethanediyl)  Siloxanes and Silicones, di-Me, polymers with silica-1,1,1-trimethyl-N-(trimethylsilyl)silanamine hydrolysis products and trimethylsilyl silicate  oxirane, 2-phenyl-, polymer with oxirane, monoethyl ether
-----	---	---

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

**MIRAVIS ACE FUNGICIDE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	05/19/2021	S00057741464	

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/19/2021  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN