

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

1/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

Product code (UVP) 05929490

SDS Number 102000002072

PCP Registration No. 18022

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Aspiration hazard: Category 1

Carcinogenicity, Reproductive toxicity: Category 2

Acute toxicity(Oral, Inhalation): Category 4

Flammable liquids: Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Suspected of causing cancer.

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

2/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Suspected of damaging fertility or the unborn child.
Harmful if swallowed or if inhaled
Combustible liquid.

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid breathing mist and spray.
Use only outdoors or in a well-ventilated area.
Keep away from open flames/hot surfaces. - No smoking.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
Do NOT induce vomiting.
IF exposed or concerned: Get medical advice/ attention.
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Store locked up.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Bromoxynil octanoate, heptanoate mixed ester		24.2
MCPA 2-ethylhexyl ester	29450-45-1	24.2
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	17.0
Naphthalene	91-20-3	1.8
2-Methylpropan-1-ol	78-83-1	1.6
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	84989-14-0	2.3

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

3/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms	Local:, The product causes irritation of eyes, skin and mucous membranes., Sensitisation Systemic:, Tiredness, Thirst, Sweating, Anxiety, Hyperventilation, Tachycardia, Muscle rigidity, Hyperthermia, Vomiting, Abdominal pain, Ataxia, Anorexia, Liver damage, Acidosis, Hypotension, Circulatory collapse, Cough, Shortness of breath, Nausea, Diarrhoea, Rhabdomyolysis, Somnolence, Coma, Convulsions
-----------------	--

Indication of any immediate medical attention and special treatment needed

Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.
------------------	---

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--

Unsuitable	High volume water jet
-------------------	-----------------------

Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire., The product is combustible.
--	--

Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
--	--

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

4/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Further information	Evacuate personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	66.1 °C
Auto-ignition temperature	> 450 °C / 842 °F The data refer to solvent naphtha petroleum.
Lower explosion limit	0.8 %(V) The data refer to solvent naphtha petroleum.
Upper explosion limit	7.00 %(V) The data refer to solvent naphtha petroleum.
Explosivity	No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Isolate hazard area. Remove all sources of ignition. Avoid contact with spilled product or contaminated surfaces.
--------------------	--

Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.
--------------------------------	--

Additional advice	Check also for any local site procedures.
--------------------------	---

Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
------------------------------------	---

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.
--------------------------------	---

Advice on protection against fire and explosion	Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment.
--	--

Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or
-------------------------	---

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

5/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep away from direct sunlight. Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedings.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,590 mg/m3/400 ppm (TWA)	07 2009	CAD AB OEL
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	200 mg/m3 (TWA)	07 2009	CAD AB OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	05 2013	CAD BC OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	03 2014	CAD MB OEL
Solvent Naphtha (petroleum), heavy aromatic (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	11 2010	CAD ON OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	525 mg/m3 (TWA)	11 2010	CAD ON OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	500 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	250 mg/m3 (15 MIN ACL)	05 2009	CAD SK OEL

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

6/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	400 ppm (8 HR ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic (Vapor.)	64742-94-5	200 mg/m3 (8 HR ACL)	05 2009	CAD SK OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,590 mg/m3/400 ppm (TWA)	11 2011	OEL (QUE)
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	07 2009	CAD AB OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	07 2009	CAD AB OEL
Naphthalene	91-20-3	10 ppm (TWA)	09 2011	CAD BC OEL
Naphthalene	91-20-3	15 ppm (STEL)	09 2011	CAD BC OEL
Naphthalene	91-20-3	10 ppm (TWA)	03 2011	CAD MB OEL
Naphthalene	91-20-3	10 ppm (TWA)	11 2010	CAD ON OEL
Naphthalene	91-20-3	15 ppm (STEL)	11 2010	CAD ON OEL
Naphthalene	91-20-3	10 ppm (8 HR ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	15 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Naphthalene	91-20-3	79 mg/m3/15 ppm (STEL)	11 2011	OEL (QUE)
Naphthalene	91-20-3	52 mg/m3/10 ppm (TWA)	11 2011	OEL (QUE)
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*
2-Methylpropan-1-ol	78-83-1	152 mg/m3/50 ppm (TWA)	07 2009	CAD AB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	09 2011	CAD BC OEL

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

7/14

Version 5.0 / CDN
102000002072Revision Date: 04/13/2017
Print Date: 04/13/2017

2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	03 2011	CAD MB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	11 2010	CAD ON OEL
2-Methylpropan-1-ol	78-83-1	60 ppm (15 MIN ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (8 HR ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	152 mg/m ³ /50 ppm (TWA)	11 2011	OEL (QUE)

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Chemical resistant goggles must be worn.

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	brown
Physical State	Liquid
Odor	aromatic
Odour Threshold	No data available
Vapor Pressure	3.99 hPa / 3 mm Hg at 37 °C
Vapor Density (Air = 1)	1.00 The data refer to solvent naphtha petroleum.
Density	1.14 g/cm ³ at 20 °C
Evaporation rate	No data available

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

8/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Boiling Point	149 °C / 300.2 °F
Melting / Freezing Point	No data available
Water solubility	miscible
Minimum Ignition Energy	Not applicable
Decomposition temperature	No data available
Partition coefficient: n-octanol/water	log Pow: < 3 The value mentioned relates to the active ingredient MCPA 2-ethylhexyl ester. log Pow: 5.9 The value mentioned relates to the active ingredient bromoxynil octanoate. log Pow: 5.4 The value mentioned relates to the active ingredient bromoxynil heptanoate.
Viscosity	No data available
Flash point	66.1 °C
Auto-ignition temperature	> 450 °C / 842 °F The data refer to solvent naphtha petroleum.
Lower explosion limit	0.8 %(V) The data refer to solvent naphtha petroleum.
Upper explosion limit	7.00 %(V) The data refer to solvent naphtha petroleum.
Explosivity	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	No data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

9/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Inhalation, Ingestion

Immediate Effects

Eye Causes eye irritation.

Skin Causes skin irritation.

Ingestion Harmful if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined Rat) 1,261 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.2 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rabbit) > 5,050 mg/kg

Skin irritation slight irritation (Rabbit)

Eye irritation Minimally irritating. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – repeated exposure

Bromoxynil octanoate, heptanoate mixed ester caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.

MCPA-2-ethylhexyl ester did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Bromoxynil octanoate, heptanoate mixed ester was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

MCPA-2-ethylhexyl ester was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bromoxynil octanoate, heptanoate mixed ester caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

MCPA-2-ethylhexyl ester was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5 Group A3

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

10/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

Naphthalene	91-20-3	Group A3
NTP		
Naphthalene	91-20-3	
IARC		
Naphthalene	91-20-3	Overall evaluation: 2B
OSHA		
None.		

Assessment toxicity to reproduction

Bromoxynil octanoate, heptanoate mixed ester did not cause reproductive toxicity in a two-generation study in rats.

MCPA-2-ethylhexyl ester did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bromoxynil octanoate, heptanoate mixed ester caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate, heptanoate mixed ester caused developmental toxicity only at dose levels toxic to the dams.

MCPA-2-ethylhexyl ester caused developmental toxicity only at dose levels toxic to the dams. MCPA-2-ethylhexyl ester caused a delayed foetal growth.

Further information

Acute toxicity studies have not been performed on this product as formulated.

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 3.2 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient MCPA 2-ethylhexyl ester.
	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.041 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bromoxynil heptanoate.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.28 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient MCPA 2-ethylhexyl ester.

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

11/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

EC50 (Daphnia magna (Water flea)) 0.046 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bromoxynil heptanoate.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.25 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient MCPA 2-ethylhexyl ester.

EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l
Exposure time: 120 h
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.083 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient bromoxynil heptanoate.

Biodegradability

Bromoxynil octanoate, heptanoate mixed ester:
Not rapidly biodegradable
MCPA-2-ethylhexyl ester:
rapidly biodegradable

Koc

Bromoxynil octanoate: Koc: 630

Bioaccumulation

Bromoxynil octanoate: Bioconcentration factor (BCF) 230
Does not bioaccumulate.
MCPA-2-ethylhexyl ester: Bioconcentration factor (BCF) 1
Does not bioaccumulate.

Mobility in soil

Bromoxynil octanoate, heptanoate mixed ester: Slightly mobile in soils
MCPA-2-ethylhexyl ester: Mobile in soils

Additional ecological information

No other effects to be mentioned.

Environmental precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Do not allow to get into surface water, drains and ground water.
Do not apply when weather conditions favor runoff or drift.

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

12/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number	3082
Labels	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL)

49CFR

NA-Number	1993
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (BROMOXYNIL, NAPHTHALENE)
RQ	Reportable Quantity is reached with 10,526 lb of product.

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

13/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1.
This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 18022

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Naphthalene	91-20-3	0.1%
-------------	---------	------

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Naphthalene	91-20-3
-------------	---------

US State Right-To-Know Ingredients

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	CA, CT, MN, NJ, RI
Naphthalene	91-20-3	CA, CT, IL, MN, NJ, RI
2-Methylpropan-1-ol	78-83-1	CA, CT, IL, MN, NJ, RI

Canadian Regulations

Canadian Domestic Substance List

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Naphthalene	91-20-3
2-Methylpropan-1-ol	78-83-1

Environmental

CERCLA

Naphthalene	91-20-3
2-Methylpropan-1-ol	78-83-1

Clean Water Section 307 Priority Pollutants

Naphthalene	91-20-3
-------------	---------

Safe Drinking Water Act Maximum Contaminant Levels

Naphthalene	91-20-3
-------------	---------

SAFETY DATA SHEET



BUCTRIL M EMULSIFIABLE SELECTIVE WEEDKILLER

14/14

Version 5.0 / CDN
102000002072

Revision Date: 04/13/2017
Print Date: 04/13/2017

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 2 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 2 Physical Hazard - 2 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 04/13/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.